

Supporting Information

## **Effects of chemical composition of PM<sub>2.5</sub> on visibility in a semi-rural city of Sichuan basin**

**Yun-Chun Li<sup>1,2\*</sup>, Man Shu<sup>1</sup>, Steven Sai Hang Ho<sup>3\*</sup>, Jian-Zhen Yu<sup>4</sup>, Zi-Bing Yuan<sup>4</sup>, Xian-Xiang Wang<sup>1</sup>, Xiao-Qing Zhao<sup>1</sup>**

<sup>1</sup> *College of Science, Sichuan Agricultural University, Ya'an, 62504, China*

<sup>2</sup> *Jiangsu Key Laboratory of Atmospheric Environment Monitoring and Pollution Control (AEMPC), School of Environmental Sciences and Engineering, Nanjing University of Information Science and Technology, Nanjing, 210044, China*

<sup>3</sup> *Key Lab of Aerosol Chemistry & Physics, Institute of Earth Environment, Chinese academy of Sciences, Xi'an, 710075, China*

<sup>4</sup> *Department of Chemistry, The Hong Kong University of Science and Technology, Clear Water Bay, Hong Kong, China*

\* Corresponding author.

Tel.: +86-835-2886179; Fax: +86-835-2886139 (Y.C.Li)

Tel.: +86-029-62336261 (S.S.H.Ho)

*E-mail address:* [yunchunli@sicau.edu.cn](mailto:yunchunli@sicau.edu.cn) (Y.C.Li); [stevenho@hkpsr.org](mailto:stevenho@hkpsr.org) (S.S.H.Ho)

Yun-Chun Li and Man Shu contributed equally to this work.

Table S1. Enrichment factors of heavy metals.

	Range	Avg.±SD
Ti	0.1-3.1	0.4±0.5
V	0.0-6.0	1.4±1.2
Cr	3-413	47±66
Mn	1-90	21±18
Ni	0-75	7±11
Cu	16-2331	143±307
Zn	52-7267	879±1206
As	154-8863	929±1300
Sr	0-15	2±2.5
Zr	0-6	0.3±0.9
Mo	0-7535	300±947
Cd	268-68966	4337±9276
Ba	0-48	8±10
Pb	240-13982	1584±2090