

Supporting Information

Effects of chemical composition of PM_{2.5} on visibility in a semi-rural city of Sichuan basin

Yun-Chun Li^{1,2*}, Man Shu¹, Steven Sai Hang Ho^{3*}, Jian-Zhen Yu⁴, Zi-Bing Yuan⁴, Xian-Xiang Wang¹, Xiao-Qing Zhao¹

¹ *College of Science, Sichuan Agricultural University, Ya'an, 62504, China*

² *Jiangsu Key Laboratory of Atmospheric Environment Monitoring and Pollution Control (AEMPC), School of Environmental Sciences and Engineering, Nanjing University of Information Science and Technology, Nanjing, 210044, China*

³ *Key Lab of Aerosol Chemistry & Physics, Institute of Earth Environment, Chinese academy of Sciences, Xi'an, 710075, China*

⁴ *Department of Chemistry, The Hong Kong University of Science and Technology, Clear Water Bay, Hong Kong, China*

* Corresponding author.

Tel.: +86-835-2886179; Fax: +86-835-2886139 (Y.C.Li)

Tel.: +86-029-62336261 (S.S.H.Ho)

E-mail address: yunchunli@sicau.edu.cn (Y.C.Li); stevenho@hkpsr.org (S.S.H.Ho)

Yun-Chun Li and Man Shu contributed equally to this work.

Table S1. Enrichment factors of heavy metals.

| | Range | Avg.±SD |
|----|-----------|-----------|
| Ti | 0.1-3.1 | 0.4±0.5 |
| V | 0.0-6.0 | 1.4±1.2 |
| Cr | 3-413 | 47±66 |
| Mn | 1-90 | 21±18 |
| Ni | 0-75 | 7±11 |
| Cu | 16-2331 | 143±307 |
| Zn | 52-7267 | 879±1206 |
| As | 154-8863 | 929±1300 |
| Sr | 0-15 | 2±2.5 |
| Zr | 0-6 | 0.3±0.9 |
| Mo | 0-7535 | 300±947 |
| Cd | 268-68966 | 4337±9276 |
| Ba | 0-48 | 8±10 |
| Pb | 240-13982 | 1584±2090 |