

Supplemental Material for

## **Ambient Air Quality in Dhaka Bangladesh over Two Decades:**

### **Impacts of Policy on Air Quality**

Bilkis A. Begum<sup>1</sup>, Philip K. Hopke<sup>2,3\*</sup>

<sup>1</sup>*Atomic Energy Centre, Dhaka, Atomic Energy Centre, Dhaka, Bangladesh*

<sup>2</sup>*Department of Public Health Sciences, University of Rochester School of Medicine and Dentistry, Rochester, NY 14642 USA*

<sup>3</sup>*Center for Air Resources Engineering and Science, Clarkson University, Potsdam, NY 13699 USA*

#### **Source Apportionment Results**

The source profiles derived from the 2009 to 2015 data are presented in Figure S1 and the corresponding contributions are shown in Figure S2. The reproduced mass is compared with the measured mass in Figure S3. Although the analysis reproduces 84% of the measured PM mass, the  $r^2$  value is only 0.610. These results are typical of prior work since the data set lacks any direct measurement of organic carbon or particulate nitrate. Based on the extensive prior work sampling and analyzing data from this site (Begum and Biswas, 2004; Begum *et al.* 2004; 2005; 2006a,b; 2011a,b; 2013; 2014), the factors are interpreted as Road Dust, Brick Kiln, Biomass Burning, Motor Vehicles, Soil Dust, Lead, Sea Salt, and Zn Works. Road dust includes Zn and S that are likely derived from vehicle emissions. Zn and S may represent tire wear as well as tailpipe emissions from burning lubrication oil (Zn) and high sulfur fuels (particularly diesel fuel). Brick kilns are mostly fired with relatively high sulfur coal although the lowest grade coal that had been used was banned from import in 2014. The government has been trying to move kiln operators from using fixed chimney bull trench kilns to using zigzag or other more efficient systems. There has been a minor decline in the brick kiln contribution. Biomass burning represents the main source of potassium and may also involve cooking emissions. Soil dust is crustal material without as much contamination by the non-crustal species that appear in the road dust factor. Lead involves emissions from backyard battery reclamation operations and possibly some emissions from the Zn plant. Pb is also seen in the Zn works profile since they use Pb to

---

\* Corresponding author: pkhopke@clarkson.edu

enhance the sheen of the galvanized materials. Sea salt is aged as seen from the depletion of Cl and the enhancement of sulfur. Similar profiles have been consistently observed.




Figure S1. Source profiles for PM<sub>2.5</sub> measured in Dhaka from 2010 to 2015.





Figure S2. Source contribution time series for Dhaka samples from 2010 to 2015.



## References

- Begum, B. A. and Biswas, S.K, (2004), Characteristics of PM<sub>2.2</sub> and PM<sub>10-2.2</sub> in the Atmosphere of Dhaka City. *Nuclear Science and Application*. 13; 9-19.
- Begum, B. A., Kim, E., Biswas, S.K. and Hopke, P. K. (2004), Investigation of sources of atmospheric aerosol at urban and semi-urban areas in Bangladesh. *Atmospheric Environment*. 38; 3025-3038.
- Begum, B. A., Biswas, S. K., Kim, E., Hopke, P. K. and Khaliqzaman, M. (2005), Investigation of sources of atmospheric aerosol at a hot spot area in Dhaka, Bangladesh. *J. Air and Waste Management Association*. 55; 227-240.
- Begum, B. A., Biswas, S. K. and Hopke, P. K. (2006a), Temporal variations and spatial distribution of ambient PM<sub>2.2</sub> and PM<sub>2.2-10</sub> concentrations in Dhaka, Bangladesh. *Science of the Total Environment*. 358: 36–45.
- Begum, B. A., Biswas, S. K. and Hopke, P. K. (2006b), Impact of banning of Two Stroke Engines on airborne particulate matter concentrations in Dhaka, Bangladesh. *J. Air & Waste Management Association*. 56: 85–89
- Begum, B. A., Hossain, A., Saroar, G., Biswas, S.K., Nasiruddin, Md., Nahar, N., Chowdhury, Z., and Hopke, P.K. (2011a) Sources of Carbonaceous Materials in the Airborne Particulate Matter of Dhaka, *Asian Journal of Atmospheric Environment* 5, 237-246.
- Begum, B.A., Biswas, S.K., and Hopke, P.K. (2011b) Key issues in controlling air pollutants in Dhaka, Bangladesh, *Atmospheric Environment* 45: 7705-7713.
- Begum, B. A., Hopke, P. K., and Markwitz, A. (2013), Air pollution by fine particulate matter in Bangladesh. *Atmospheric Pollution Research*. 4; 75-86.
- Begum, B. A., Nasiruddin, M., Randal, S., Sivertsen, B. and Hopke, P. K. (2014), Identification and apportionment of sources from air particulate matter at urban environments in Bangladesh. *British J. Applied Science & Technology*. 4; 3930-3955.