

**Spatiotemporal Variation and Chemical Fingerprints of Marine Fine
Particles (PM_{2.5}) at Four Offshore Islands of the Matsu Islands
in Northern Taiwan Strait**

Supporting Information

Chung-Shin Yuan^{1,2*}, Yen-Lun Su¹, Tsung-Chang Li¹,
Yu-Lun Tseng¹, Hsueh-Lung Chuang¹

¹Institute of Environmental Engineering, National Sun Yat-sen University, Kaohsiung,
Taiwan, R.O.C.

²Aerosol Research Center, National Sun Yat-sen University, Kaohsiung, Taiwan,
R.O.C.

* To whom all correspondence should be addressed

Tel: 886-7-5252000 Ext. 4409; Fax: 886-7-52524409;

E-mail: ycsngi@mail.nsysu.edu.tw

Table Caption

Table S-1. Description of predominant PM_{2.5} sources located at the Matsu Islands.

Table S-1. Description of predominant PM_{2.5} sources located at the Matsu Islands.

Source Types	Source Descriptions
Road Dust	Fugitive dusts emitted from paved and unpaved roads
Construction fugitive dust	Fugitive dusts emitted from construction sites
Stone processing	Dusts emitted from stone segment processing
Biomass burning	Ashes emitted from burning the stalk of sorghum and weeds
Utility Power Plant	Fine particulate emitted from oil-fired power plants
Breweries	Fine particulate emitted from Matsu liquor factory plants

Figure Caption

Figure S-1. The size distribution of marine particulate matter on February 6-9 at the Nankan Island.




Figure S-1. The size distribution of marine particulate matter on February 6-9 at the Nankan Island.